Homelite

- **PARTS LIST**
- LISTE DE PIÈCES
- **TEILELISTE**
- ELENÇO DEI PEZZI
- LISTA DE PIEZAS

z4400 UT10765

d4400b UT10750


i4400b UT10764 (Int'l)

- ☐ CHAIN SAW
- SCIE A CHAINE
- MOTOSEGHE
- 💷 MOTORSÄGENBESITZER
- **MOTOSIERRA**

Printed in U.S.A. Imprimé aux. E.-U. Gedruckt in den U.S.A. Stampato negli Stati Uniti Impreso en EE. UU.

P/N 18461


ENGINE INTERNAL




			_ G	ĮΤ'	<u> r. </u>
NO.	PART NO.	DESCRIPTION	244		9004
1 1	98217 \$	SPARK PLUG (RCJ6Y)	1	1	1
2	•A 07275	SHORT BLOCK	1	1	1
3	•A 08213	PISTON & PIN	1	1	1
4	07278	RING, PISTON ASSEMBLY	1	1	1
		WRIST PIN	1	1	1
5	L 64813	RING, WRIST PIN RETAIN.	2	2	2
6	A 08340	BEARING & CAP, CRANKSHAFT	2	2	2
7	08339	SEAL, SHAFT		2	2
8	70277	BEARING, NEEDLE	1	H	1
В	 8089 1	SCREW, Hex Hd. (12-24 X 7/8")	4	4	4
10 {	75078	KEY, WOODRUFF	1	H	1
11 (82146	SCREW, FIL. HD. (8-32 X 5/8") (QIL PUMP)	2	2	2
12	A 02802 A	OIL PUMP	1	1	1
13	02548	TUBING, OIL (TO QUIDE BAR)	1	h	1
14	06342	WORM GEAR, LEFT HAND	1	1	1




STARTER - IGNITION




NO.	PART NO.	DESCRIPTION	ş		1
			<u> </u>	\$	1
1 2 3 4 5 8 7 8 9 10 11 12 13 14 15 16 17 18	82548 82544 •A 04778 A 97899 01 02264 A 97908 97768 B 94062 82409 61255 95479 A A 06949 68052 A 01821 A 95098 •A 01546 A 02597 A 01822 A 01802	SCREW-Thread Form (8-16 x 5/8") SCREW-Thread Form (8-16 x 2") STARTER - COMPLETE ROPE, STARTER (48") GRIP, STARTER SPRING & CONTAINER PULLEY WASHER, RETAINING SCREW Plastite(10-14 x 5/8") NUT, LOCK WASHER, FLAT ROTOR & STARTER PAWLS SCREW, Sems Hex Hd. (10-24 x 7/8" IGNITION GROUND WIRE SLEEVE, Insulating IGNITION MODULE SPARK PLUG BOOT KIT IGNITION WIRE SWITCH	4 1 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1	4 1 1 1 1 1 1 1 1 1 2 1 1 1 1 1	41111111111111





CARBURETOR - MUFFLER



			QTY.		
NO.	PART NO.	DESCRIPTION	00002	0440	1
1	-A 04414	MUFFLER - Complete	1	1	į
2	D1543 B	GASKET-Muffler]]	1	ונו
3	D2178	SCREW- Square Hd. (10-92 x 2 1/2)	1	1	1
4	02509	SCREW- Square Hd. (10-82 x 2 1/4)	2	2	2
Б	01532	SCREEN-Spark Arrestor	1	1	1
9	[D1531 A	COVER- Exhaust	1	۱۱	1
7	81208	NUT Looking Hex (10-32)	3	3	3
9 7 8 9	<u> </u>	WASHER- Flat (#12)	1	1	1
	•A 02583	SPACER-Carburetor	1	1	1
10	01029	GASKET- Carburator Specar	1	1	1
11	L 01823	FOAM- Adhesive	1	1	1
12	A 30600	SCREW- Carburetor Retainer	2	2	2
19	98339	GASKET-Carburetor	1	1	1
14	70310 38	TUBING-Rubber (9")	ſ	١i	11
15	02696	RETAINER PLATE	i	l i	11
16	01178	RETAINER NUT-Filter	2	2	اغا
17	02718	"O" RING	2	2	اءا
18	A 02562 A	AIR FILTER	1	17	171
19	81009	NUT- Hex (#8-82)	2	2	اغا
20	A 08628	CARBURETOR (Welbro WT-452)	17	17	151
21	70310 19	TUBING- Rubber (4 3/4")	Ιi	lί	
22	82430	SCREW Mach. Hex Hd. (8-32 x 7/8")	2		2
23	B2513	SCREW Thread Form (6-19 x 5/87)	ļ.	2	7
24	84128	WASHER Flat (#6)	١ú	;	;
25	D0997 D	CABLE Throttle	١,	H	;
	SCSOT B	OTHER THOUS	Ľ	Ľ	









d4400b Chain Saw UT-10750

HANDLES - d4400b - i4400b




			Q	ı Y.
NO.	PART NO.	DESCRIPTION	9	ĝ
	-A 07215	HANDLE KIT	ſ	1
1	A 08496	HANDLE BAR	1	l i
2	58409	RING, RETAINING	l t	Ιi
2 3	00210 C	COVER, REAR HANDLE	1	l i
4	00997 D	CABLE, THROTTLE	1 1	1
5	A 03808 A	TRIGGER, THROTTLE	1 1	1
5 8 7	02318	SPRING, THROTTLE	1 1	l i
7	93385 A	LOCK, THROTTLE	1 1	1 1
B	70253	PIN, DOWEL	i	l i
9 1	82513	SCREW, THREAD FORM (6-19 X 1/2")	Ιi	Ιi
10	60891	SCREW, HEX Hd (12-24 X 7/8")	i	1
11	95671	PIN, THROTTLE LOCK	l i	l i
12	95020	SPRING, COMPRESSION	1 1	l i
13	96620	SCREW, TORX (10-24 X 1/2")	Ιi	l i
	FA 07214	ISOLATOR KIT	i	l i
14	01168	SPRING, EXTENSION	Ż	ĺż
15	03588	RETAINER, SPRING	3	l ä
iě	01813	SLEEVE SPRING	2	2
17	B400B	WASHER, FLAT (#(2)	2	فعا
ià	82562	SCREW, PAN Hd. (10-24 X 7/87)	1 1	2 2 2 1
18	_ 70B1D	NUT, 80UARE (# 10-24)	l i	Ιi
20	84123	WASHER, FLAT	l i	Ιi
21	82548	SCREW, THREAD FORM (8-16 X 6/8")	İż	i i
22	02813	SPRING, EXTENSION	1 1	B 1
28	82546	SCREW, THREAD FORM (8-16 X 1/2")	Ż	Ż
24	D7163	HANDLE, REAR	7	2
25	A 00228 A	COVER, DRIVE CASE		Ιi
25	81196	NUT. HEX	è	2
27	00207 1B	HSG., STARTER SIDE	1 1	Ī
28	A 03720 B	ENG. HSG. DRIVE SIDE	1	1 1
29	81261	NUT. HEX	l i	i
	V14V1	110411101	'	∣ '


CLUTCH & CHAIN BRAKE



				<u>m</u>	<u> </u>
NO.	PART NO.	DESCRIPTION	200	1	į
1	A 08757	GUARD, HAND		1	1
2 3 4 5 7 8	83203	WASHER, BELLVILLE		1	1
3	98457	NUT - (M5)	1	11	t
4	98422 A	PIN '	1	11	1
5	98481	SCREW, SHOULDER	1	1	ΙĊ
	01820	RING, RETAINER	1	11	1
7	98308	SPRING, COIL	1	1	£
Ð	A 99817 A	BRAKE LATCH ABSY.	- 1	11	1
8	A 00888 A	ADJUSTER, BRAKE	1	lί	1
10	00890	SPRING, COMPRESSION	1	11	í
f1	98466	PIN		11	1
12	65027	WASHER, THRUST	1	11	lί
15	[•A 07274	SPROCKET & DRUM & BEARING	Ιŧ	Ιi	Ιi
14	70277	BEARING, NEEDLE	11	11	1
15	08341	SHIELD, Duet	l i	Ιi	li
16	08948	E-CIID	li	Ιi	Ιi
17	-A 99298 B	BRAKE BAND ASSY	Ι΄	Ιi	l i
16	L., 08672	PIN, DOWEL	- 1	Ιi	i i
19	81196	NUT, HEX	2	2	2
20	A 90228 A	COVER, DRIVE CASE	1	1	ſ
21	82518	SCREW, THREAD FORM (#5)	- 1	11	1
22	01160	RETAINER, BRAKE BAND	- 1	11	1
29	-A 06349	CLUTCH ASSY,	1	1	l i
24	06348	SPRING, CLUTCH	li li	1] i
25	2 3643	WASHER, FLAT	11	1	1
28	02561 A	LABEL, KÍCKBACK	Γ.	1	1i
27	02861	DECAL SAFETY	1	Ιi	i



FUEL & OIL TANKS



NO.	PART NO.	DESCRIPTION	90 m4 22	4400E	Ð
1	▼A 06636	OIL TANK ASSY.	1	1	1
2	03134	VALVE-Check	1	1	1
2 3	03585	PIN-Spirot	1	ţ	1
4	70310 29	TUBING- Rubber (7 1/4*)	1	1	1
5	A 68593	FILTER- OII	1	1	1
8	A 00904 A	CAP- Tank (w/Retainer)	1	1	1
7	02762 A	GASKET-Fuel Cap	1	1	1
8	6944 3	FiLTER- Oll Tank Valve	1	1	1
9 1	• A 06637	FUEL TANK ASSY.	1	í	1
2	03134	VALVE- Check	1	1	1
6	A 00904 A	CAP- Tank (w/Retainer)	1	1	1
7	02782 A	GASKET-Fuel Cap] 1	1	1
10	70310 21	TUBING-Rubber (5 1/4")	1	1	1
11	70310 36	TUSING- Rubber (8")	1	1	1
12	02952	FILTER- Foam	1	1	1
13	49422	FILTER- Fuel	1	1	1
14	00893	SAWDUST SEAL	2	2	2

Assembly Ensembles Beusdize Complessi Conjuntos

ACCESSORIES ACCESSOIRES ZUBEHOR ACCESSORI ACCESORIOS

BUMPER \$PIKE KIT
Jeu de grampon d'emortisseur
Stobstangen-Spikseatz
Kir delle punte del persurfi
Juago de bruiz del beuscyciónes
RUBBER TUBING (10")
Tubes en caoutohque (3,06 m)
dummirch: (3.05 m)
Dotto di gomma (3,05 m)
Tubo de caucho (3,05 m)
QREASE- Multi-Purpose (Sprocket
bearing-PT guide ber)
Orabas unhamala (Balles de planas.
Grakes universelle (Faller de pignon-
PT - lame-guide)
Mahrzweck-Bohmlermittel
(Kettenradiager - PT -
Pahrungaschilene)
Grasso, multiuso (Cuscinetto della ruota
dentale - PT - barra di guida)
Green de use general (Coffnete de la
winds deviced. The house state
rueda dentada - PT - barra gula)
STARTING ROPE (250 ft. Real) 98052-A
Cordon de langeur (78 m bobine)
Startersell (76 m Spule)
Corde d'avriamento (bobbse de 76 m)
Curada da amenara Canada da 70 mi
Cuerda de arranque (carrete de 78 m)
SAFE-T-TIP A 70778 B
8AFE-T-TIP*
9AFE-T-TIP*
SAFE-T-TIP
SAFE-T-TIP*
GUIDE BAR, (power tip) (16") PT-16321-H6
Lame guide, (Extrémité motrice)
(40,64cm)
Cibrilly and a company (And dahaman bus)
Führungsstange, (Antriebuspitze)
(40,84om)
Lame, (Punte di potenze) (40,64cm)
Barra guia, (Punte de potencia)
(40,84am)
GUIDE BAR (power tip) (18") PT-18321-HS
Lame guide, (Extrémité motrice)
(45,72cm)
Puhrunggelange, (Antriebssphize)
(45,72cm)
Lama, (Punts di potenza) (45,72cm)
Barra guis, (Punta de potencia)
(45,72cm)
QUIDE BAR, (power lip) (20") PT-20321-H6
Lame guide, (Extremité motrice)
(§0,40am)
(dp,ecom)
Führungsstange, (Antriebespitze)
(80,80cm)
Lame, (Púnis di potenza) (50,80cm)
Barra guia, (Partia de potencia) (60,60cm)
QUIDE BAR, (aprooket 60) (14")
Leme guide, (Extrémité à pignon)
(40,64cm)
Puhrungastange, (Ketterradepitze)
(40,54cm)
Lema, (Punta deniata) (40,64cm)
Berra guía, (Punta de rueda deniada)
(40,64om)
GUIDE BAR, (sprocket tip) (20") BP-20321-H8
(40,64cm)
Lame guide, (flutrémité à planon)
(80,80cm)
Fuhrungsstange, (Kettenradspitze) (60,90cm)
Lema /Dunia Assiriat /E/ Shim)
Lame, (Punta deritate) (50,800m)
Berra guis, (Punta de rueda dentada) (50,80cm)

COMPRESSION TESTER 9419 Apparell d'essai de compression	
CUMPRESSIUM IESIEN	
Amazoli disassi da accessorales	•
Washington a prompression	
Verdiehtungs-Prüigerül	
Tester a compressione	
Medidor de compresión	
CARBURETOR REPAIR TOOL	8
Outil de réparation de carburateur	
Vercuser-Papershuwericzeun	
Attrezzo di riperazione dei carburatore	
Herramiente de reparacion del carburador	
\$HIM (.0128")	
Cale (0,31mm)	•
Missingstint // times	
Districtiok (0.31mm) Zeppa (0.31mm)	
Color (0.24mm)	
Calcs (0,21mm)	
DIGITAL TACHOMETER	6
Cample-tours numérique	
Digital-Drehminimesser	
Tachometro digitale	
Tacometre digital	
CLUTCH ASSEMBLY TOOL	•
Outil de mortage d'ambrayage	Y
Kupptungsausemmenbeu-Werksnug	
Attrazzo del gruppo frizione	
Kerramienta de armado del embregue	
SEALANT SHLICON2482	1
Majériau d'étanchéité su silicons	
Silicon-Diphtungsmasse	
Bigific al sfilcons	
Belledor de siligio	
WRENCH (combination)	
	4
Clé aombiné	
Schraubenschlußseel Kombination	
Chieve combinate	
Liave combineda	
PULLER- Magnato Rotor	Α .
Extracteur, rolor magnito	
Abaiehwerkzeug-Magnatrotor	
Rotore d'estrezione a magnete	
Extractor-rator de magneto	
T-25 TORK ORIVE BIT24982-0	
1-20 (ONE ANIAR BILL	•
Foret torx T-25	
T-25 Torx-Amriebabit	
Punia Torx Drive T-25	
Broce de ampuje T-95 Torx	
\$HIM (0.016" AJR QAP)	6
Cele (écert de 0.35 mm)	
Distanzachalba (0,34 mm Luttepalt)	
J Booklore (eninternmenta (LSB m.m.)	
Spensore (epinierometro 0,38 mm)	
-Buplemento (especio de 0,34 mm)	
- Suplemento (especio de 0,34 mm) - TESTER (Boark Plun) - CSP-2022-	8
- Suplemento (especio de 0,34 mm) TESTER (Sperk Plug)	8
-Suplemento (especio de 0,88 mm) TERTER (Sperk Plug) GP-20322- Appareil de contrôle (Bougie) Plutgerat (Zundierze)	8
-Suplemento (especia de 0,34 mm) TESTER (Sperk Plug) Apparell de gentrele (Bougle) Plutgerat (Zundkerze) Tanter (candelu)	8
-Suplemento (especio de 0,88 mm) TERTER (Sperk Plug) GP-20322- Appareil de contrôle (Bougie) Plutgerat (Zundierze)	8
-Suplemento (especia de 0,38 mm) TESTER (Sperk Plug) Appareil de gentrele (Sougia) Probador de buila Probador de buila	
- Suplemento (especia de 0,34 mm) TESTER (Sperk Plug) Appareil de controle (Sougia) Prutgerat (Zunderze) Tester (candela) Probador de bujla CLUTCH \$PANNER	
- Suplemento (especia de 0,38 mm) TERTER (Sperk Plug) Appareil de contrôle (Bougia) Printerat (Zundearze) Tanter (candela) Probador de bulla CLUTCH \$PANNER	
- Suplemento (especia de 0,34 mm) TERTER (Sperk Plug) Appareil de contrôle (Bougia) Phitgerat (Zundkerze) Tanter (candela) Probador de buju CLUTCH \$PANNER	
- Suplemento (especia de 0,84 mm) TERTER (Sperk Plug) Apparell de gentrele (Bougle) Phitgeral (Zundkerze) Tanter (candela) Probador de bujla CLUTCH \$PANNER CH à embrayaga Kupplungs-Cabelechiüssel Chiave della frizione	
- Suplemento (especio de 0,88 mm) TERTER (Sperk Plug) Appareil de contrôle (Bougie) Phitjerat (Zundierze) Tanter (zendela) Probador de bujla CLUTCH \$PANNIER	L.
- Suplemento (especio de 0,88 mm) TERTER (Sperk Plug) Appareil de contrôle (Bougie) Phitjerat (Zundierze) Tanter (zendela) Probador de bujla CLUTCH \$PANNIER	L.
- Suplemento (especia de 0,38 mm) TERTER (Sperk Plug) Appareil de contrôle (Bougia) Printgerat (Zundkerze) Tanter (candela) Probador de buju CLUTCH \$PANNER	L.
- Suplemento (especia de 0,88 mm) TERTER (Sperk Plug) Appareil de centrele (Bougia) Printgerat (Zundkerze) Tanter (candela) Probador de buju CLUTCH \$PANNER CIÁ à embrayaga Kupplunga-Cabelechiüssel Chiave della friziona Lieve para embrague CHAIN (22-Mp80-87) (167) Chaine (32-Mp80-87) (40,84cm) Kette (32-Mp80-87) (40,84cm)	L.
- Suplemento (especia de 0,88 mm) TERTER (Sperk Plug) Appareil de centrele (Bougia) Printgerat (Zundkerze) Tanter (candela) Probador de buju CLUTCH \$PANNER CIÁ à embrayaga Kupplunga-Cabelechiüssel Chiave della friziona Lieve para embrague CHAIN (22-Mp80-87) (167) Chaine (32-Mp80-87) (40,84cm) Kette (32-Mp80-87) (40,84cm)	L.
- Suplemento (especia de 0,88 mm) TERTER (Sperk Plug) Appareil de centrele (Bougia) Printgerat (Zundkerze) Tanter (candela) Probador de buju CLUTCH \$PANNER CIÁ à embrayaga Kupplunga-Cabelechiüssel Chiave della friziona Lieve para embrague CHAIN (22-Mp80-87) (167) Chaine (32-Mp80-87) (40,84cm) Kette (32-Mp80-87) (40,84cm)	L.
- Suplemento (especio de 0,88 mm) TERTER (Sperk Plug) Appareil de contrele (Bougle) Printperat (Zundicerze) Taster (candela) Probador de bulla CLUTCH \$PANNIER CH & embrayage Kupplungs-Qabelechilissel Chiave della frizione Lieve para embrague CHAIN (32-Mp50-67) (40,84cm) Kette (32-Mp50-67) (40,84cm) Calena (32-Mp50-67) (40,64cm) Calena (32-Mp50-67) (40,64cm) Calena (32-Mp50-67) (40,64cm) Calena (32-Mp50-67) (40,64cm)	E H
- Suplemento (especia de 0,34 mm) TERTER (Sperk Plug) Appareil de controle (Bougle) Printerat (Zundkerze) Taster (candela) Probador de bulla CLUTCH \$PANNER CH 4 embrayage Xupplungs-Qabelechiliseel Chiave della frizione Lieve para embrague CHAIN (32-MD50-67) (40,64cm) Ketle (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) CHAIN (32-MD50-67) (40,64cm) CHAIN (32-MD50-67) (40,64cm)	E H
- Suplemento (especia de 0,34 mm) TERTER (Sperk Plug) Appareil de controle (Bougle) Printerat (Zundkerze) Taster (candela) Probador de bulla CLUTCH \$PANNER CH 4 embrayage Xupplungs-Qabelechiliseel Chiave della frizione Lieve para embrague CHAIN (32-MD50-67) (40,64cm) Ketle (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) Calene (32-MD50-67) (40,64cm) CHAIN (32-MD50-67) (40,64cm) CHAIN (32-MD50-67) (40,64cm)	E H
**Suplemento (especio de 0,34 mm) TERTER (Sperk Plug) GP-20322- Apparell de controle (Bougle) Phitgerat (2undicerze) Tanter (achdela) Probador de bulla CLUTCH \$PANNER	E H
**Suplemento (especio de 0,34 mm) TERTER (Sperk Plug)	E H
Suplemento (aspecio de 0,34 mm) TERTER (Sperk Plug) GP-20322- Appareil de controle (Bougle) Profesial (Zundierze) Taster (candela) Probador de bulla CLUTCH \$PANNER A-0118: Clu 4 embrayage Xupplungs-Qabelechiliseel Chiave della frizione Lieve para embrague CHAIN (32-MD50-67) (40,64cm) Chaine (32-MD50-67) (40,64cm) Cadena (32-MD50-67) (40,64cm) Cadena (32-MD50-67) (40,64cm) Cadena (32-MD50-73) (45,72cm) Chaine (32-MD50-73) (45,72cm) Cadena (32-MD50-73) (46,72cm) Cadena (32-MD50-74) Cadena (32-MD50-74) Cadena (32-MD50-74) Cadena (32-MD50-74) Cadena (32-MD5	E H
Suplemento (especia de 0,34 mm) TERTER (Sperk Plug)	E H
Suplemento (especia de 0,34 mm) TERTER (Sperk Plug) GP-20322- Appareil de controle (Bougle) Printerat (Zundicerze) Tanter (sendela) Probador de builla CLUTCH SPANNER	E H
Suplemento (especia de 0,34 mm) TERTER (Sperk Plug) GP-20322- Appareil de controle (Bougle) Printerat (Zundicerze) Tanter (sendela) Probador de builla CLUTCH SPANNER	E H
Suplemento (especia de 0,34 mm) TERTER (Sperk Plug)	E H
Suplemento (especia de 0,34 mm) TERTER (Sperk Plug)	E H

7	
	NOTES NOTES NOTIZEN NOTAS NOTE
ŀ	
ŀ	
ŀ	· · · · · · · · · · · · · · · · · · ·
l	
ŀ	·
	····
-	
İ	
ŀ	
ļ	
I	
١	
١	
ŀ	······································
ļ	
F	
-	
1	
1	· · · · · · · · · · · · · · · · · · ·
•	

CUSTOMER ASSISTANCE

FOR THE LOCATION OF YOUR NEAREST HOMELITE SERVICING DEALER IN THE UNITED STATES, PUERTO RICO, AND THE VIRGIN ISLANDS,

CALL: 1-800-242-4672

HEADQUARTERS

Homelite, Inc. P.o.BOX 7047 CHARLOTTE, N.C. 28241

OVERSEAS OFFICES

NETHERLANDS

Homelite Netherlands B.V. A Deere & Company Affiliate Haveretraat 24 2153 GB Nieuw Vennep The Netherlands

FRANCE

Homeilte Atlantio SARI...
Groupe Deere & Co...
BP 7011
95050 Cergy Pontoise Cedex
France

AUSTRALIA

Homelite Pacific Ltd.

A Deere & Company Affiliate
ACN 006 683 538
94 Rushdale Street
P.O. Box 555 MDA
Australia

CANADIAN OFFICES

Homelite Canada Limited Homelite Canada Limitée

A Deere & Company Affiliate/ Une Filiale de Deere & Company 1850-55e/th Avenue Lachine, Québac, Canada HST 3J5 1-800-363-5716

UNIT 212-214, 590 Ebury Place New Westminster, B.C. V3M 6K7 1-800-667-3128

20-D Voyager Court South Etoblocke, Ontario M8W 5M7 1-800-485-2249

